


The Higher Standard™



Sankosha Finishing Solutions
Drycleaning / Baggers


SANKOSHA U.S.A., Inc.

1901 Landmeier Rd., Elk Grove Village, IL 60007 • TOLL FREE: (888) 427-9120 • TEL: (847) 427-9120 • FAX: (847) 427-9634

<http://www.sankosha-inc.com>

INNOVATION REDEFINED...

...THE HIGHER STANDARD



1993



2006



2011



2017

DF-100U Rotary Form Finisher

Superior Quality




Up and Down
Handles various sized garments (up to 70").



Body Rotation
Easier to load, saves time.

Soft Tensioning Body 2-Step Up Function
This unique design feature allows for the body to raise up slowly to avoid overstretching.

Sleever Pocket



Blower Motor Power Increased By 50%
This important upgrade will provide much better finishing quality especially for wetcleaned garments.



Operator-Friendly Display Panel

Better Visibility/Operation

| Rotary Form Finisher | |
|------------------------------|---------------------------------|
| Model | DF-100U |
| Capacity | Up to 60 pcs / hr |
| Power | 1ph 220A |
| Power Consumption | 6.0A |
| Air Pressure | 73 psi / 0.5 MPa |
| Air Consumption | 0.2 cfm |
| Air Pipe | 1/4B |
| Steam Pressure | 73 psi / 0.5 MPa |
| Steam Consumption | 2 BHP |
| Steam Pipe | Inlet: 1/2B, Outlet: 1/2B |
| Noise Level | A Level: 77dB / A Level: 80.3dB |
| Weight | 363lb/165kg |
| Dimension (W x D x H) (inch) | 41 3/8" x 37 3/8" x 84 5/8" |

DF-050U Form Finisher


Proven Pressing Technology



Up and Down
Handles various sized garments (up to 70").

Soft Tensioning Body 2-Step Up Function
This unique design feature allows for the body to raise up slowly to avoid overstretching.

- **Smaller Body**
- **Compact Footprint**
- **Operator Friendly Control Panel**
- **Sleever Pocket**



Blower Motor Power Increased By 50%
This important upgrade will provide much better finishing quality especially for wetcleaned garments.



| Form Finisher | |
|------------------------------|---------------------------------|
| Model | DF-050 |
| Capacity | Up to 60 pcs / hr |
| Power | 1ph 220A |
| Power Consumption | 6.0A |
| Air Pressure | 73 psi / 0.5 MPa |
| Air Consumption | 0.18 cfm |
| Air Pipe | 1/4B |
| Steam Pressure | 73 psi / 0.5 MPa |
| Steam Consumption | 2 BHP |
| Steam Pipe | Inlet: 1/2B, Outlet: 1/2B |
| Noise Level | A Level: 77dB / A Level: 80.3dB |
| Weight | 252lb/100kg |
| Dimension (W x D x H) (inch) | 29.1" x 28.3" x 80.3" |

ROCK STEADY...

...THE HIGHER STANDARD



DF-740U Tensioning Pants Topper

Maximum Productivity

New Inverter Option

Change the blower power by turning a dial providing the correct finishing option for each fabric.

New Steam Injection Design

This newly design feature distributes more efficient heat throughout the buck.

Tensioning Cuff Function

This improved function in combination with the additional blower power supplies optimal performance.



Radiator Upgrade

With a 50% power improvement, the highest possible productivity can be achieved.

State of the Art Control Panel

User Friendly–located in one accessible area including a digital timer and a new counter function.

Increased Blower Power

A more powerful blower motor will result in faster drying times.

| Tensioning Pants Topper | |
|------------------------------|---------------------------------|
| Model | DF-740U |
| Power | 1ph 220A |
| Power Consumption | 6.0A |
| Air Pressure | 85 psi / 0.6 MPa |
| Air Consumption | 0.01 cfm |
| Air Pipe | 1/4B |
| Steam Pressure | 73 psi / 0.5 MPa |
| Steam Consumption | 2 BHP |
| Steam Pipe | Inlet: 1/2B, Outlet: 1/2B |
| Noise Level | A Level: 77dB / A Level: 80.3dB |
| Weight | 298lb/135kg |
| Dimension (W x D x H) (inch) | 28.7" x 50" x 67.3" |

SDP-880U Double Legger Press



- High Productivity

- Quality creases for both legs of pants

- Can also be used for touch up work and skirt finishing

- Easy to Set Pants

- Has a true middle press with vacuum

- Press Pressure (Khaki or Dress)

- Presses both legs at once providing greater productivity

- Built in Safety Features

“The benefit of Sankosha equipment is the *quality of the product it produces*; never a broken button or touch up. The most important feature of their equipment is the ease of operation. We can take a person off the front counter and put them on the press. Within a few minutes their finishing looks as good as an experienced presser. *It’s a one time investment that pays dividends daily.*

Switching my company to Sankosha allowed us to change our niche. The quality we produce permitted our price structure to move to the high end of the dry-cleaning spectrum.”

~ Steven Toltz
President of Dependable Cleaners



| Double Legger Press | |
|------------------------------|-----------------------------|
| Model | SDP-880U |
| Power | 1ph 220V |
| Power Consumption | 4.0A |
| Air Pressure | 85 psi / 0.6MPa |
| Air Consumption | 0.5 cfm |
| Air Connection | 3/8B |
| Steam Pressure | 85 psi / 0.6 MPa |
| Steam Consumption | 2 BHP |
| Steam Connection | Inlet: 1/2B, Outlet: 1/2B |
| Finishing Capacity | 90 pants / hr |
| Weight | 1,056lb/480kg |
| Dimension (W x D x H) (inch) | 74 3/4" x 40 1/4" x 58 3/4" |

ALL IN PERFECT BALANCE...

...THE HIGHER STANDARD



Baggers

Reduce Labor = Increase Profits

PS-290U Automatic



- Flagship Model
- Load from Either Side
- New User Friendly Control Panel
- 240 Bundles/Hour
- Worry Free Operation
- Auto Feed/Discharge

PS-290HU Industrial Automatic (Heavy Duty)



- Perfect for Uniforms, Dresses & Long Coats - Up to 58½"
- Bulk Packaging
- Upgraded Transfer Carriage Can Handle up to 17lbs.
- 240 Bundles/Hour
- Worry Free Operation

PM-470U Semi-Automatic



- High Speed Bagging
- Oversized Garments
- 2 Button Operation
- Anti Static Function
- Bulk Packaging

| Baggers | | | |
|--------------------------------------|-----------------------|-------------------------|-----------------------------|
| Model | PS-290U | PS-290HU | PM-470U |
| Poly Width | 28" | 28" | 28" |
| Power | 3ph 220V | 3ph 220V | 3ph 220V |
| Power Consumption | 9.0A | 9.0A | 8.0A |
| Finishing Capacity | 240 bagging / hr | 240 bagging / hr | 470 bagging / hr |
| Weight | 726lb/330kg | 770lb/350kg | 605lb/275kg |
| Air Consumption | 1.7 cfm | 1.7 cfm | 1.7 cfm |
| Air Pressure | 85 psi / 0.6 MPa | 85 psi / 0.6 MPa | 85 psi / 0.6 MPa |
| Air Connection | 1/4B | 3/8B | 3/8B |
| Dimension (mm) (W x D x H) (inch) | 66.9" x 52.4" x 81.9" | 68" x 52 1/2" x 89 1/2" | 36 1/2" x 36 1/2" x 80 3/4" |

“What a blessing! The PS290U auto bagger from Sankosha is a *dream come true!* We started barcoding shirt laundry and dry cleaning with auto assembly before all the best places for barcodes were discovered.

As the economy changed, the labor savings from barcoding was wonderful. We didn't realize the additional labor savings we would immediately realize with the PS290U.


Adding the PS290U has made IAB Inspection - Assembly Bagging, a ONE person job! *This addition has saved my company time, money and labor.*”

~ Jan Caon Barlow, CED, CPD, CPW
Jan's Professional Dry Cleaners




- Increases Your Profits & Efficiency
- Easy to Add to Your Production Line
- Loads from Either Side

Screw Conveyor Parts




Part Number: SG0002
Straight Screw with Motor – 6' 2"




Part Number: SG0006
Straight Screw – 6' 6"



Part Number: SG0008
Flexible Screw – 20 Degree



Part Number: SG0010
Flexible Screw – 45 Degree



Part Number: SG0012
Flexible Screw – 90 Degree

A PERFECT 4-SOME...

...THE HIGHER STANDARD



HDP-420TU Utility Hot Head Press

Trustworthy Performance




Right Vacuum Pedal
Easy for vacuum operation
when using the narrow end of
the lower buck.



Faster & Smoother!

- **Surface area evenly pressed**
- **Dual Press Pressure (Hard or Soft)**
- **Self Contained Vacuum**
- **Adjustable Dial for Vacuum & Blower**
- **Can press a wider range of fabrics**
- **SLEEVE BOARD OPTION AVAILABLE**

DP-420TU Utility Legger Press



Flat Table
For easy garment flow

| Utility | |
|---------------------------------|-------------------------------|
| Model | (H)DP-420TU |
| Power | 1ph 220A |
| Power Consumption | 2.8A |
| Air Pressure | 73 psi / 0.5 MPa |
| Air Consumption | 0.5 cfm |
| Air Pipe | 3/8B |
| Steam Pressure | 73 psi / 0.5 MPa |
| Steam Consumption | 1.5 BHP |
| Steam Pipe | Inlet: 1/2B, Outlet: 1/2B |
| Noise Level | A Level: 72dB / A Level: 77dB |
| Weight | 739lb/335kg |
| Dimension (W x D x H) (inch) | 63.4" x 37.4" x 60.6" |

HDP-610TU Utility Hot Head Press

Maximum Productivity



Flexibility

With the touch of a button you can finish any type of garment with a firm or delicate finish. Both auto and manual modes allow the operator flexibility at the press of a button.



Adjustable Blower/Vacuum

Both presses utilize an inverter controlled inline motor for both up air and vacuum giving the operator control to press every garment precisely.



Buck Press Steam Switch

During the pressing cycle, you can inject steam from the buck in addition to the head steam.



DP-610TU Utility Legger Press



“ Since 1993, Cannon’s Coastal Cleaners ultimately *comes out on top by investing in only the best.* We have had the opportunity to work with Sankosha, to see the new **HDP- 420TU & HDP- 610TU** come to fruition. *These presses represent a company that listens and develops what is needed for our industry.* Converting their already outstanding utility and legger presses to hot head models has allowed Cannon’s Coastal Cleaners to become one step closer to becoming a 100% Sankosha driven dry cleaner.

To be the best in any industry, you have to *operate at the highest level using the highest quality equipment.* Sankosha has allowed us to operate at that level.

Thanks to Sankosha, we are truly leaving a lasting im“press”ion on our customers.”

~ Eldridge Cannon
Owner,
Cannon’s Coastal Cleaners



| Utility Legger | |
|---------------------------------|-------------------------------|
| Model | (H)DP-610TU |
| Power | 1ph 220V |
| Power Consumption | 2.8A |
| Air Pressure | 73 psi / 0.5 MPa |
| Air Consumption | 0.5 cfm |
| Air Pipe | 3/8B |
| Steam Pressure | 73 psi / 0.5 MPa |
| Steam Consumption | 1.5 BHP |
| Steam Pipe | Inlet: 1/2B, Outlet: 1/2B |
| Noise Level | A Level: 72dB / A Level: 77dB |
| Weight | 772lb/350kg |
| Dimension (W x D x H) (inch) | 75.2" x 39.6" x 60.6" |

MAXIMIZE YOUR INVESTMENT...

...THE HIGHER STANDARD

SP-010 Triple Puff Irons

SP-011 and SP-012 Single Puff Irons

Factory Original Replacement Covers & Pads

Apollo Steam Trap



- Instant & Consistent Steam
- User Friendly Table
- Perfect Sized Foot Pedals

Our covers and pads not only fit better and last longer, but also provide the finish quality you have come to expect and demand. By using our factory original made products, Sankosha machines are designed to press at their optimum capacity as well as providing maximum longevity.

As the director of engineering for Dependable Cleaners, I am responsible for two things above all else, longevity and quality. I must maintain the longevity of our investments, which includes all the equipment that makes our business function, and more importantly supports our customers. *To obtain this high quality that our customers expect from us, we turn to Sankosha to finish our garments.*

Of course, the pressing equipment itself is top-notch/invaluable...., however, the covers and pads are what I believe makes the garment. When I first began with Dependable Cleaners, I found that I could get aftermarket products for our Sankosha equipment at a reduced cost. However, when I made this initial switch I quickly found that I was getting a poor quality garment that had to be touched up more often because the covers did not fit quite right. Plus, the longevity of the pad was half or less than that of the Sankosha Factory Original products, so we ended up needing to change the covers more often.

Ultimately, our goal of saving money was not achieved. When quality is the most important feature for our business, *I will always go with a company that makes its own covers and pads in house, because I know then that quality and longevity is their top priority as well.*

~ Derek Svigel
Direct of Engineering, Dependable Cleaners
Denver, Colorado



| Baggers | | | |
|--------------------------------------|---------------------------|---------------------------|---------------------------|
| Model | SP-010 Triple | SP-011 Single | SP-012 Single |
| Steam Connection | Inlet: 1/2B, Outlet: 1/2B | Inlet: 1/2B, Outlet: 1/2B | Inlet: 1/2B, Outlet: 1/2B |
| Weight | 275lb/125kg | 150lb/68kg | 150lb/68kg |
| Dimension (mm) (W x D x H) (inch) | 61" x 47" x 28" | 23 1/2" x 17 1/4" x 43" | 23 1/2" x 17 1/4" x 43" |



Available on DP-420TU and DP-610TU